

Prepared by: K. Van de Plas

## Specification Control Drawing for the Generic Rack (FIST-GR2)

---


Generic rack options	2
Generic rack layout	3

## Generic rack options

---

The FIST-GR2 name string allows to select the following options. See the ordering guide for more details.

### FIST-GR2-X X-X X



## Generic rack layout

Part description FIST generic rack  
 Part number See table underneath  
 Material Painted steel (RAL 7035)

Dimensions (in mm)

Product size	Depth	Width*			Height	N**
	D (nom.)	W1 (nom.)	W2 (nom.)	W3 (nom.)	H (nom.)	
FIST-GR2-1X-XX	300	150	600	300	1800	56
FIST-GR2-2X-XX	300	150	600	300	2200	72

Notes Nominal values are given for information only

\* The width depends on the combinations of the base frame (W2) and 0, 1 or 2 side ducts (W1 or W3)

\*\* N = the number of available slots in the ETSI mounting profiles (25 mm pitch) – taken into account that the base duct, that occupies 8 slots, is standard included.

Drawing key

[894, 895]

1. Base frame
2. Side duct(s)
3. Side panel
4. Central door
5. Side duct door(s)
6. Drum plate enlargers (DPE)
7. Cable attachment plate (CAP)
8. Drums on drum plate for vertical pigtail management (VPM)
9. Drums on drum plate for vertical pigtail storage (VPS)
10. Space occupied by base duct

